

Monday 22 May 2023 – Morning GCSE (9–1) Chemistry A (Gateway Science)

J248/01 Paper 1 (Foundation Tier)

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry A (inside this document)

You can use:

- · a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. Do not write in the barcodes.								
Centre number						Candidate number		
First name(s)								
Last name								

INSTRUCTIONS


- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- · Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if the answer is wrong.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 28 pages.

ADVICE

· Read each question carefully before you start your answer.



Section A

You should	spend a	maximum	of 30	minutes	on this	section
Tou Siloulu	Spellu a	IIIaxIIIIuIII	01 30	IIIIIIIIIIII	OH HIIS	SECTION.

Write your answer to each question in the box provided.

Wh	nere is most	of the mass found in an atom?			
A	Electrons				
В	Neutrons				
С	Nucleus				
D	Protons				
You	ur answer				
So	dium fluoride	e has the formula NaF. The forn	nula of the sodium ion is Na ⁺ .		
Wh	at is the for	mula of the fluoride ion?			
A	F ⁺				
B F ⁻					
С	F ²⁺				
D	F ²⁻				
You	ur answer	results shows that the pH of a s	olution is acidic ?		
W		T			
W	рН	Universal indicator colour			
	pH	T			
A	pH 3 10	Universal indicator colour orange			

4	Thomson	discovered	the	first	sub-atomic	particle
_	11101113011	aloco v Ci Ca	uic	111 3 6	Sub atomic	pai liolo.

Which sub-atomic particle did Thomson discover?

- **A** Atom
- **B** Electron
- **C** Neutron
- **D** Proton

Your answer		[1]
-------------	--	-----

5 What is the relative formula mass of iron chloride, $FeCl_3$?


Relative atomic mass (A_r): Cl = 35.5 Fe = 55.8.

- **A** 91.3
- **B** 126.8
- **C** 162.3
- **D** 202.9

Your answer [1]

6 An element **gains** electrons to form a full outer shell.

Which part of the Periodic Table will the element be from?




Your answer [1]


7	Wh	y can the mass of a reaction in an open conical flask decrease?	
	Α	One of the products is a gas.	
	В	One of the products is a solid.	
	С	One of the reactants is a liquid.	
	D	One of the reactants is a solid.	
	You	r answer	[1]
8	Wh	en the model of the atom was developed, scientists reviewed the work of other scientists.	
	Wh	y is it important for scientists to review each other's work?	
	Α	They will copy the experiments to complete the research first.	
	В	They will evaluate the data and suggest improvements.	
	С	They will make sure that personal protective equipment is worn.	
	D	They will start an argument about who is correct.	
	You	er answer	[1]

9 Which reaction profile has an arrow showing the activation energy?


Α




В



С



D



Your answer

nswer	
-------	--

[1]

10 63.5 g of copper reacts to make 134.5 g of copper chloride, $CuCl_2$.

$$\mathrm{Cu} \, + \, \mathrm{C}l_2 \, \rightarrow \, \mathrm{CuC}l_2$$

How much copper chloride will be made from $0.635\,\mathrm{g}$ of copper?

- **A** 0.01345 g
- **B** 0.1345g
- **C** 1.345 g
- **D** 13.45 g

Your answer

[1]

Why	y are nanoparticles useful a	is catalysts in chemical rea	actions?				
Α	Nanoparticles are a new to	echnology.					
B Nanoparticles have a high surface area to volume ratio.							
С	Nanoparticles have a large	e particle size.					
D Nanoparticles have a low surface area to volume ratio.							
		en ablavida in 744°C					
			these temperatures?				
vvni			inese temperatures?				
State symbol State symbol at 25°C at 110°C							
Α	g	g					
В	s	S					
С	S	g					
D	g	S					
You	r answer						
Wh	at changes did Mendeleev	make to improve his Perio	dic Table?				
A He arranged elements by mass number.B He arranged elements by the number of neutrons.							
D	He realised some element	s had not yet been discov	ered so left spaces for them.				
You		,	·				
	A B C D You The Whi A B C D You Wh	A Nanoparticles are a new to B Nanoparticles have a high C Nanoparticles have a large D Nanoparticles have a low Your answer The melting point of magnesium Which state symbols are used State symbol at 25 °C A g B s C s D g Your answer What changes did Mendeleev A He arranged elements by B He arranged elements by C He put elements with low to the state at the state are a new to the state at the state at the state are a new to the state at	B Nanoparticles have a high surface area to volume rate. C Nanoparticles have a large particle size. D Nanoparticles have a low surface area to volume rate. Your answer The melting point of magnesium chloride is 714 °C. Which state symbols are used for magnesium chloride at State symbol at 25 °C at 110 °C A g g g B s s C s g D g s Your answer What changes did Mendeleev make to improve his Period A He arranged elements by mass number. B He arranged elements by the number of neutrons. C He put elements with low melting points on the left at D He realised some elements had not yet been discovered.				

14 Nitrogen monoxide, NO, can be oxidised to form nitrogen dioxide, NO₂.

2NO +
$$O_2 \rightarrow 2NO_2$$

What is the oxidising agent in this reaction?

- A Nitrogen
- **B** Nitrogen dioxide
- C Nitrogen monoxide
- **D** Oxygen

Your answer		[1]
-------------	--	-----

15 Hydrochloric acid, HC*l*, reacts with magnesium, Mg.

Magnesium chloride and hydrogen are made.

What is the balanced symbol equation for this reaction?

A
$$2HCl + Mg \rightarrow MgCl + H_2$$

$$\mathbf{B} \quad 2\mathsf{HC}l + \mathsf{Mg} \rightarrow \mathsf{MgC}l + \mathsf{H}$$

$$\mathbf{C} \quad \text{2HC} l \, + \, \text{Mg} \, \rightarrow \, \text{MgC} l_2 \, + \, \text{H}_2$$

$$\mathbf{D} \quad \mathrm{2HC} l \, + \, \mathrm{Mg} \, \rightarrow \, \mathrm{MgC} l_2 \, + \, \mathrm{H}$$




Section B

	16	(a)	Oxygen	is a	gas	at room	temperature
--	----	-----	--------	------	-----	---------	-------------

((i)) The	diagrams	show	three	different	particle	models

..... random than in a liquid.



[3]

(iii)

(b) Draw lines to connect each particle with its correct description.

	Particle	Description				
	proton	relative mass of 0.0005				
	electron	positively charged and relative mass of 1				
	neutron	no charge				
(c)	The element oxygen has three different isoto	ppes.				
	8 O 8 O 17 Isotope 1 Isotope 2 Isotope (i) Which isotope has the highest mass?	3				
		[1]				
	(ii) Which isotope has the same number of protons and neutrons?					
	(iii) Atoms of each isotope have the same number of electrons.					
	How many electrons do these atoms ha	ve?				
		[1]				
(d)	A sample of air contains all three isotopes of It contains 99.759% of isotope 1 and 0.037%					
Calculate the percentage of isotope 3 in the sample of air.						

Percentage of isotope 3 = % [2]


17 A scientist measures the melting points of three painkillers.

Painkiller	Melting point (°C)
Α	136
В	169
С	76

(a)	All	of the painkillers are pure substances.	
	(i)	Explain what is meant by a pure substance.	
			[1]
	(ii)	How can you tell that the three painkillers are pure from their melting points?	
			[1]
(b)		scientist uses gas chromatography to investigate a mixture of painkiller A and killer B .	
	Hov	w many peaks will the scientist see in the gas chromatogram?	
			[1]

(c) The scientist then analyses painkiller **D** using thin layer chromatography.

The chromatogram is shown in the diagram.



(i) Calculate the R_f value of painkiller ${\bf D}$.

Use the formula: $R_f = \frac{\text{distance travelled by substance}}{\text{distance travelled by solvent}}$

Give your answer to 2 decimal places.

 R_f of painkiller **D** =[3]

(ii) Which components are needed for thin layer chromatography?

Put a ring around the **two** correct components.

balance Bunsen burner mobile phase
paper stationary phase thermometer

[2]

(d)	The scientist thinks that an impure painkiller will only have two spots on the thin layer chromatogram.
	Give two reasons why the scientist is incorrect .
	1
	2
	[2]

- 18 Molecules can be shown by different models.
 - (a) Draw three lines to connect each name to its correct model.


Model Name Н Η Ball and stick model Dot and cross diagram 3D Space-filling model

pace-illing model

[3]

(b) A student wants to use a model to show the location of the electrons in a water molecule as shown in Fig. 18.1.

Fig. 18.1





Model 1


Model 2


Explain why the student uses model 1 instead of model 2.

.....[2]

(c) Fig. 18.2 shows a model of octane.

Fig. 18.2





(i) What is the empirical formula of octane?

.....[1]


(ii) Calculate the relative formula mass of octane.

Relative atomic mass (A_r) : C = 12.0 H = 1.0.

Relative formula mass =[3]

(d) Fig. 18.3 shows a model of a carbon nanotube.

Fig. 18.3




 1.2×10^{-9} m diameter

(i)	What is the	diameter	of the	carbon	nanotube	in	nanometres	?
-----	-------------	----------	--------	--------	----------	----	------------	---

.....[1]

(ii) Fig. 18.4 shows a model of the structure and bonding in graphite.

Fig. 18.4



Explain why the carbon nanotube is stronger than graphite.

Use Fig. 18.3 and Fig. 18.4.

.....[2]

(iii) A hydrogen atom has a diameter of 2.4×10^{-10} m.

Calculate how many times larger the carbon nanotube is than the hydrogen atom.

Number of times larger =[2]

The table shows the type of bonding in three substances.

Substance	Type of bonding
Bromine, Br ₂	simple molecular (covalent)
Sodium chloride, NaCl	ionic
Diamond, C	giant covalent

(a)*	Describe and compare the types of bonding in these three substances.							
	Predict which substance will have the lowest melting point.							
	re							

(b) Titanium is a metal element. Metal **elements** can be mixed with other elements to form metal **alloys**.





al elemei	ıt	Metal alloy	
Explain wh	ny a metal alloy is ha	rder than a metal elemer	t.
n medicin	e, titanium alloys are	used in hip replacement	S.
Alloy	Density (g/cm³)	Tensile strength (MPa)	Does it contain any toxic elements?
1	4.43	950	yes
	4.52	950	no
2			
3	5.70	546	no

20 A teacher wants to make hydrogen and chlorine using electrolysis.

(a)	Some possible steps they can use in the electrolysis experiment are listed.	
	Put test tubes over the electrodes to collect gases.	
	2. Weigh each electrode.	
	3. Put the electrodes into a solution of sodium chloride.	
	4. Put on safety goggles.	
	5. Connect the battery.	
	6. Put the electrodes into solid sodium chloride.	
	Put the four steps that the teacher should use in the correct order.	[3]
(b)	Chlorine is in Period 3 and Group 7 of the Periodic Table.	
	Which statements about chlorine are correct ?	
	Tick (✓) two boxes.	
	Chlorine forms negative ions.	
	Chlorine has 3 electrons in its outer shell.	
	Chlorine has 7 electron shells.	
	Chlorine has 7 electrons.	
	Chlorine is a metal.	
	Chlorine is a non-metal.	[2]

(c) The teacher sets up another electrolysis experiment using copper sulfate solution, CuSO₄.
The table shows their results.

Experiment	Mass of copper made (mg)	Volume of oxygen made (cm ³)
1	7.9	2.8
2	21.1	7.5
3	28.2	10.0
4	35.3	
5	42.4	14.9


(i) Estimate how much oxygen will be made in experiment 4.

		Volume of oxygen made = cm ³	[1]
	(ii)	Describe the relationship between the amount of copper made and the amount of oxygen made.	
(d)	Сор	oper sulfate solution is an electrolyte.	
	Wha	at type of compound is an electrolyte?	
	Tick	x (✓) one box.	
	Cov	valent	
	Ioni	c	
	Mol	ecular	[1]

(e) Another teacher repeats the electrolysis experiment.

They record the mass of the electrode at the start of the experiment.

At the end of the experiment, they remove the electrode from the solution and record the mass **immediately** as shown in the diagram.



They notice that the mass is **higher** than they expect.

Suggest two changes the teacher could make to get a more accurate mass.
1
2

[2]

21	A scientist	is	studvina	acids	and	alkalis
41		13	Studylliq	aulus	anu	ainaiis.

(a)	\//hich	statement	ahout	acide	and	alkalie	ie	correct?
(a)	VVIIICII	Statement	about	acius	anu	aikalis	15	correct:

Tick (✓) one box.

A reaction between an acid and an alkali is neutralisation.	
Acids form OH ⁻ ions in solution.	
Alkalis have a pH of less than 7.	

Sodium hydroxide, NaOH, is an example of an acid.

(b) The scientist reacts sulfuric acid with insoluble magnesium carbonate, ${\rm MgCO_3}$.

They repeat the experiment two more times.

The table shows their results.

	Experiment 1	Experiment 2	Experiment 3
Mass of magnesium sulfate, MgSO ₄ , produced (g)	4.37	4.31	4.38
Mass of magnesium carbonate, MgCO ₃ , remaining (g)	1.33	1.38	1.32

[1]

(i) Calculate the mean mass of magnesium sulfate, ${\rm MgSO_4},$ made.

Give your answer to 3 significant figures.

Mean mass of magnesium sulfate = g [3]

(ii) Complete the **balanced symbol** equation for the reaction.

Include state symbols.


$$H_2SO_4 (aq) + MgCO_3(s) \rightarrow MgSO_4(aq) + (.....) + (.....)$$
 [2]

How does the scientist remove the unreacted solid magnesium carbonate, $MgCO_3(s)$?
[1]
How does the scientist obtain pure dry magnesium sulfate crystals from magnesium sulfate solution?
[1]

22 (a) A student does an experiment to find out the temperature change of the reaction between an acid and an alkali.

The diagram shows the student's experiment.

(i) Label the equipment in the diagram.



(ii)	Suggest one change the student can make so that the temperature change is measured more accurately. Use the diagram.					
		1				

(b) The student adds the acid, $5\,\mathrm{cm}^3$ at a time, to the alkali in the beaker.


The student records the temperature of the solution after each addition of acid.

The table shows their results.

Volume of acid (cm ³)	Temperature (°C)
0	18
5	20
10	23
15	26
20	27
25	26
30	24

(i) Plot the results from the table on the grid.

Temperature (°C)



Volume of acid (cm³)

		[2]
(ii)	Describe what happens to the temperature measured as the acid is added.	
		. [2]
(iii)	The reaction is exothermic.	. [-]
	Explain how you can tell this from the student's results.	
		F43

	[1]
	Activation energy is the minimum
	Complete the sentence to state the meaning of activation energy.
(c)	The activation energy for the student's reaction is 132kJ/mol.

END OF QUESTION PAPER

27

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				

 ,	
 J	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.